Energy performance certificate (EPC)				
Unit 15 The Gateway Terminal Road Birmingham Airport SOLIHULL B26 3QD	Energy rating	Valid until:	2 August 2033	
		Certificate number:	8364-6613-1349-6627-3625	
Property type	G	General Industrial and	Special Industrial Groups	

Total floor area


189 square metres

Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

Energy rating and score

This property's energy rating is C.



Properties get a rating from A+ (best) to G (worst) and a score.

The better the rating and score, the lower your property's carbon emissions are likely to be.

How this property compares to others

Properties similar to this one could have ratings:

If newly built

If typical of the existing stock

Breakdown of this property's energy performance

Main heating fuel	Grid Supplied Electricity	
Building environment	Heating and Natural Ventilation	
Assessment level	3	
Building emission rate (kgCO2/m2 per year)	23.94	
Primary energy use (kWh/m2 per year)	250	

16 A

65 C

Recommendation report

Guidance on improving the energy performance of this property can be found in the <u>recommendation report</u> (/energy-certificate/2699-5628-5160-3202-8731).

Who to contact about this certificate

Contacting the assessor If you're unhappy about your property's energy assessment or certificate, you can complain to the assessor who created it.

Assessor's name	Tahmineh Safdari
Telephone	+443335660182
Email	tahmineh.safdari@meessolutions.co.uk

Contacting the accreditation scheme

If you're still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation scheme	Elmhurst Energy Systems Ltd
Assessor's ID	EES/023167
Telephone	01455 883 250
Email	enquiries@elmhurstenergy.co.uk

About this assessment

Employer	MEES Solutions
Employer address	5 Ram Court Wicklesham Lodge Faringdon SN7 7PN
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	1 June 2023
Date of certificate	3 August 2023